Biblio_FPIES_10_24_12

- 1. Caubet JC, Nowak-Wegrzyn A. Current understanding of the immune mechanisms of food protein-induced enterocolitis syndrome. Expert Rev. Clin. Immunol 2011; 3: 317-327.
- 2. Leonard S, Nowak-Wegrzyn A. Food protein-induced enterocolitis syndrome: an update on natural history and review of management. Ann Allergy Asthma Immunol 2011; 2: 95-101.
- 3. Coates R, Weaver K, Lloyd R, Ceccacci N, Greenberg M. Food protein-induced enterocolitis syndrome as a cause for infant hypotension. West J Emerg Med 2011; 4: 512-4.
- 4. Sopo S, Giorgio V, Dello I, Novembre E, Mori F, Onesimo R. A multicentre retrospective study of 66 Italian children with food protein-induced enterocolitis syndrome: different management for different phenotypes. Clin Exp Allergy 2012; 8: 1257-65.
- 5. Leonard S, Nowak-Wegrzyn A. Clinical diagnosis and management of food protein-induced enterocolitis syndrome. Curr Opin Pediatr 2012; (Epub ahead of print).
- 6. Chung H, Hwang J, Park J, Kim S. Expression of transforming growth beta1, transforming growth factor type 1 and II receptors, and TNF-alpha in the mucosa of the small intestine in infants with food protein-induced enterocolitis syndrome. J Allergy Clin Immunol 2002; 1: 150-4.
- 7. Tyonouchi H. Non-IgE Mediated Food Allergy. Inflammation and Allergy 2008; 7: 1-7.