

## TGF Beta 1 & Nasal Polyps

10-07-09

1. Ohno I, Lea R, Flanders K, Clark D, Banwatt D, Dolovich J, Denburg J, Harley C, Gauldie J, Jordana M. Eosinophils in chronically inflamed human upper airway tissues express transforming growth factor beta 1 gene (TGF beta 1). *J Clin Invest* 1992; 5: 1662-8.
2. Ohno I, Nitta Y, Yamauch K, Hoshi H, Honma M, Woolley K, O'Byrne P, Tamura G, Jordana M, Shirato K. Transforming growth factor beta 1 (TGF beta 1) gene expression by eosinophils in asthmatic airway inflammation. *Am J Respir Cell Mol Biol* 1996; 3: 404-9.
3. Duvernele C, Freund V, Frossard N. Transforming growth factor-beta and its role in asthma. *Pulm Pharmacol Ther* 2003; 4: 181-96.
4. Kuma R, Herbert C, Foster P. Expression of growth factors by airway epithelial cells in model of chronic asthma: regulation and relationship to subepithelial fibrosis. *Clin Exp Allergy* 2004; 4: 567-75.
5. Pawankar R. Nasal polyposis: an update: editorial review. *Curr Opin Allergy Clin Immunol* 2003; 1: 1-6.
6. Kirsreesakul V. Update on nasal polyps: etiopathogenesis. *J Med Assoc Thai* 2005; 12: 1966-72.
7. Zaravinos A, Soufla G, Bizakis J, Spandidos D. Expression analysis of VEGFA, FGF2, TGFbeta1, EGF and IGF1 in human nasal polyposis. *Oncol Rep* 2008; 2: 385-91.
8. Figueiredo C, Silva I, Weckx L. Inflammatory genes in nasal polyposis. *Curr Opin Otolaryngol Head Neck Surg.* 2008; 1: 18-21.
9. Bachert C, Gevaert P, Holtappels G, van Cauwenberge P. Mediators in nasal polyposis. *Curr Allergy Asthma Rep* 2002; 6: 481-7.
10. Bachert C, Gevaert P, Holtappels G, Cuvelier C, van Cauwenberge P. Nasal polyposis: from cytokines to growth. *Am J Rhinol* 2000; 5: 279-90.
11. Hirschberg A, Jokuti A, Darvas Z, Almay K, Repassy G, Falus A. The pathogenesis of nasal polyposis by immunoglobulin E and interleukin-5 is completed by transforming growth factor-beta1. *Laryngoscope* 2003; 1: 120-4.
12. Cose A, Lefaucheur J, Wang Q, Lesprit E, Poron F, Peynegre R, Escudier E. Expression of the transforming growth factor beta isoforms in inflammatory cells of nasal polyps. *Arch Otolaryngol Head Neck Surgery* 1998; 12: 1361-6.
13. Little S, Early S, Woodard C, Shonka D, Han J, Borish L, Steinke J. Dual action of TGF-beta1 on nasal-polyp derived fibroblasts. *Laryngoscopie* 2008; 2: 320-4.
14. Rostkowska-Nadolska B, Kapral M, Mazurek U, Gawron W, Pres K. Co-expression of the TGF-beta1 and TGF beta2 isoforms in nasal polyps and in healthy mucosa. *Postepy Hig Med Dosw (online)* 2007; 61: 702-7.
15. Govinden R, Bhoola K. Genealogy, expression, and cellular function of transforming growth factor-beta. *Pharmacol Ther* 2003; 2: 257-65.
16. Lawrence D. Transforming growth factor-beta: a general review. *Eur Cytokine Netw* 1996; 3: 363-74.
17. Hyytiainen M, Penttinen C, Keski-Oja J. Latent TGF-beta binding proteins: extracellular matrix association and roles in TGF-beta activation. *Crit Rev Clin Lab Sci* 2004; 3: 233-64.

## TGF Beta 1 & Nasal Polyps

10-07-09

18. Van Zele T, Claeys S, Gevaert P, Van Maele G, Holtappels G, Van Cauwenberge P, Bachert C. Differentiation of chronic sinus diseases by measurement of inflammatory mediators. *Allergy* 2006; 11: 1280-9.
19. Serpero L, Sabatini F, Giuliani M, Silvestri M, Di Blasi P, Rossi G. The effect of transforming growth factor (TGF)-beta2 on nasal polyp fibroblast activities involved upper airway remodeling: modulation by fluticasone propionate. *Immunol Lett* 2006; 1: 61-7.
20. Lu X, Liu Z, Cui Y. The protein expression difference of transforming growth factor beta1, matrix metalloproteinases 1, 7, 9 and tissue inhibitors of matrix metalloproteinases-1 between chronic rhinosinusitis, nasal polyps and normal mucosa tissues. *Lin Chuang Er Bi Yan Hou Ke Za Zhi* 2005; 14: 633-5.
21. Watelet J, Claeys C, Perez-Novo C, Gevaert P, van Cauwenberge P, Bachert C. Transforming growth factor beta1 in nasal remodeling: differences between chronic rhinosinusitis and nasal polyposis. *Am J Rhinol* 2004; 5: 267-73.
22. Pruliere-Escabasse V, Fanen P, Dazy A, Lechapt-Zalcman E, Rideau D, Edelman A, Escudier E, Coste A. TGF-beta 1 downregulates CFTR expression and function in nasal polyps of non-CF patients. *AM J Physiol Lung Cell Mol Physiol* 2005; 1: L77-83.
23. Guo J, Wang X, Tao G, Zhang H, Zhu X, Zhang W, Fan E, Han D. Expression of vascular endothelial growth factor and transforming growth factor-beta 1 in nasal polyps. *Zhonghua Er Bi Yan Hou Ke Za Zhi* 2001; 2: 83-6.
24. Shute J, Marshall L, Bodey K, Bush A. Growth factors in cystic fibrosis-when more is not enough. *Paediatr Respir Rev* 2003; 2: 120-7.
25. Lee Y, Kim S, Kim H, Suh Y, Lee S, Nahm D, Park H. Eosinophil inflammation of nasal polyp tissue: relationships with matrix metalloproteinases, tissue inhibitor of metalloproteinase-1, and transforming growth factor-beta1. *J Korean Med Schi* 2003; 97: 102.
26. Papon J, Coste A, Gendron M, Cordonnier C, Wingerstmann L, Peynegre R, Escudier E. HLA-DR and ICAM-1 expression and modulation in epithelial cells from nasal polyps. *Laryngoscope* 2002; 11: 2067-75.
27. Sacco O, Lantero S, Scarso L, Galietta L, Spallarossa D, Silvestri M, Rossi G. Modulation of HLA-DR antigen and ICAM-1 molecule expression on airway epithelial cells by sodium nedocromil. *Ann Allergy Asthma Immunol* 1999; 1: 49-54.
28. Chang C, Chai C, Ho K, Kuo W, Tai C, Lin C, Tsai S, Wu S, Juan K. Expression of transforming growth factor-beta 1 and alpha-smooth muscle actin of myofibroblast in the pathogenesis of nasal polyps. *Kaohsiung J med Sci* 2001; 3: 133-8.
29. Serpero L, Petecchia L, Sabatini F, Giuliani M, Silvestri M, Di Blasi P, Rossi G. The effect of transforming growth factor (TGF)-beta 1 and (TGF)-beta2 on nasal polyp fibroblast activities involved upper airway remodeling: modulation by fluticasone propionate. *Immunol Lett* 2006; 1: 61-7.
30. Coste A, Brugel L, Mitre B, Boussat S, Papon J, Wingerstmann L, Peynegre R, Escudier E. Inflammatory cells as well as epithelial cells in nasal polyps express vascular endothelial growth factor. *Eur Respir J* 2000; 2: 367-73.

## TGF Beta 1 & Nasal Polyps

10-07-09

31. Lam S, Zhu D, Ahn J. Transforming growth factor-alpha and rhinitis. *Laryngoscope* 1999; 7 pt 1: 1119-24.
32. Eisma R, Allen J, Lafreniere D, Leonard G, Kreutzer D. Eosinophil expression of transforming growth factor-beta and its receptors in nasal polyposis: role of the cytokines in this disease process. *Am J Otolaryngol* 1997; 6: 405-11.
33. Van Bruaene N, Perez-Novo C, Basinski T, Van Zele T, Holtappels G, De Ruyck N, Schmidt-Weber C, Akdis C, Van Cauwenberge P, Bachert C, Gevaert P. T-cell regulation in chronic paranasal sinus disease. *J Allergy Clin Immunol* 2008; 5: 1435-41.
34. Otto B, Wenzel S. The role of cytokines in chronic rhinosinusitis with nasal polyps. *Curr Opin Otolaryngol Head Neck Surg* 2008; 3: 270-4.
35. Claeys S, De Belder T, Holtappels G, Gevaert P, Verhasselt B, Van Cauwenberge P, Bachert C. Macrophage mannose receptor in chronic sinus disease. *Allergy* 2004; 6: 606-12.
36. Allavena P, Chieppa M, Monti P, Piemonti L. From pattern recognition receptor to regulator of homeostasis: the double-faced macrophage mannose receptor. *Crit Rev Immunol* 2004; 3: 179-92.
37. McKenzie E, Taylor P, Stillion R, Lucas A, Harris J, Gordon S, Martinez-Pomares L. Mannose receptor expression and function define a new population of murine dendritic cells. *J Immunol* 2007; 8: 4975-83.
38. Claeys S, Van Hoecke H, Holtappels G, Gevaert P, De Belder T, Verhasselt B, Van Cauwenberge P, Bachert C. Nasal polyps in patients with and without cystic fibrosis: a differentiation by innate markers and inflammatory mediators. *Clin Exp Allergy* 2005; 4: 467-72.
39. Baetas-da-Cruz W, Alves L, Pessolani M, Barbosa H, Regnier-Vigouroux A, Corte-Real S, Cavalcante L. Schwann cells express the macrophage mannose receptor and MHC class II. Do they have a role in antigen presentation? *J Peripher Nerv Syst* 2009; 2: 84-92.
40. Baetas-da-Cruz W, Alves L, Guimaraes E, Santos-Silva A, Pessolani M, Barbosa H, Corte-Real S, Cavalcante L. Efficient uptake of mennosylated proteins by a human Schwann cell line. *Histol Histopathol* 2009; 8: 1029-34.
41. Tan M, Mommaas A, Drijfhout J, Jordens R, Onderwater J, Verwoerd D, Mulder A, van der Heiden A, Ottenhoff T, Cella M, Tulp A, Neefjes J, Koning F. Mannose receptor mediated uptake of antigen strongly enhances HLA-class II restricted antigen presentation by cultured dendritic cells. *Adv Exp Med Biol* 1997; 417: 171-7.